WHAT IS CLAIMED IS:

- A method of controlling an information processing apparatus which supplies print data to a printer, comprising:
- a determination step of determining whether or not a document includes a page which is not printed by the printer;

a print setting structure output step of outputting, when it is determined in the determination step that the document includes a page which is not printed by the printer, a print setting structure that instructs to set a non-billing page to rendering means of an OS; and

a print data generation step of generating, when

the print setting structure that instructs to set a

non-billing page is received via the rendering means of
the OS, a non-billing command.

A method of controlling an information processing apparatus that supplies print data to a printer which
 comprises middle insert means for inserting an independently fed index sheet between printed print sheets upon printing and exhausting print sheets, comprising:

a setting step of setting whether or not an index sheet is to be inserted; and

an instruction step of instructing, when it is set in the setting step that the index sheet is to be

inserted, the printer to exclude the index sheet to be inserted from sheets to be billed.

- 3. The method according to claim 2, further comprising a determination step of determining whether or not the printer is compatible to an instruction issued in the instruction step.
- 4. A program for making a computer connected to a printer, which comprises middle insert means for inserting an independently fed index sheet between printed print sheets upon printing and exhausting print sheets, execute:

10

a setting step of setting whether or not an index sheet is to be inserted; and

an instruction step of instructing, when it is

15 set in the setting step that the index sheet is to be
inserted, the printer to exclude the index sheet to be
inserted from sheets to be billed.

An information processing apparatus that supplies print data to a printer which comprises middle insert
 means for inserting an independently fed index sheet between printed print sheets upon printing and exhausting print sheets, comprising:

setting means for setting whether or not an index sheet is to be inserted; and

25 instruction means for, when said setting means sets that the index sheet is to be inserted,

instructing the printer to exclude the index sheet to be inserted from sheets to be billed.

6. A print system having a printer which comprises middle insert means for inserting an independently fed index sheet between printed print sheets upon printing and exhausting print sheets, and a host computer connected to said printer,

said host computer comprising:

setting means for setting whether or not an index 10 sheet is to be inserted; and

instruction means for, when said setting means sets that the index sheet is to be inserted, instructing said printer to exclude the index sheet to be inserted from sheets to be billed, and

said printer comprising:

5

20

25

count means for counting the number of printed sheets for the purpose of billing; and

control means for controlling a count operation of said count means on the basis of an instruction from said instruction means.

7. A method of controlling an information processing apparatus that supplies print data to a printer which comprises 2-sided print means for forming images on two faces of a print sheet and exhausting the printed print sheet, comprising:

a setting step of setting whether or not a blank sheet is to be inserted at a predetermined division position; and

an instruction step of instructing, when it is set in the setting step that the blank sheet is to be inserted, the printer to exclude the blank sheet to be inserted from sheets to be billed.

- 8. The method according to claim 7, further comprising a determination step of determining whether
 10 or not the printer is compatible to an instruction issued in the instruction step.
 - 9. A program for making a computer that supplies print data to a printer which comprises 2-sided print means for forming images on two faces of a print sheet and exhausting the printed print sheet, execute:

15

25

a setting step of setting whether or not a blank sheet is to be inserted at a predetermined division position; and

an instruction step of instructing, when it is

20 set in the setting step that the blank sheet is to be
inserted, the printer to exclude the blank sheet to be
inserted from sheets to be billed.

10. An information processing apparatus that supplies print data to a printer which comprises 2-sided print means for forming images on two faces of a print sheet and exhausting the printed print sheet, comprising:

setting means for setting whether or not a blank sheet is to be inserted at a predetermined division position; and

instruction means for, when said setting means
sets that the blank sheet is to be inserted,
instructing the printer to exclude the blank sheet to
be inserted from sheets to be billed.

11. A print system which has a printer which comprises 2-sided print means for forming images on two faces of a print sheet and exhausting the printed print sheet, and a host computer connected to said printer,

said host computer comprising:

setting means for setting whether or not a blank sheet is to be inserted at a predetermined division position; and

instruction means for, when said setting means sets that the blank sheet is to be inserted, instructing the printer to exclude the blank sheet to be inserted from sheets to be billed, and

20 said printer comprising:

15

count means for counting the number of printed sheets for the purpose of billing; and

control means for controlling a count operation
of said count means on the basis of an instruction from
25 said instruction means.